

NVS36

36-Channel NVR with 48TB Storage Capacity



12MP

36 Channels at 12MP

Supports up to 36 channels of IPC access; each channel up to 12MP input.



8* Alarm In/4* Alarm Out

Customizable alarm input/output channels enable versatile security configurations.



Easy & Flexible Setup

The NVR has four Ethernet ports for camera connections and supports wireless connectivity via Wi-Fi.



3* 16TB HDD Capacity

With three SATA ports, it supports up to 48TB storage capacity.



2-Way Audio via NVR

Convenient two-way audio communication enhances surveillance experience.



Remote Access

Access your security system remotely from anywhere with ease.



24/7 Recording

Continuous recordings directly to your hard drive with expandable storage.



Centralized Security

Take full control of all cameras with centralized NVR management.



Local Access

Access the live feeds offline via a monitor or an HD TV.





Expandable, Customizable, Centralized

RLN36 is designed for multi-location or large-area monitoring. This 36-channel NVR supports 12MP resolution, 48TB storage capacity, and customizable alarms in/out.



48TB HDD Capacity

RLN36 with boosted storage supports three Max. 16TB HDDs. More cameras, longer video recordings, and solid 24/7 protection.



Enrich Your Surveillance System

8 alarm-in channels for extra sensors (temperature, IR, magnetic sensors, etc.); 4 alarm-out channels for controllers (door, light, etc.).



Ready to Listen and Talk

Built-in audio ports enable two-way talk via NVR, facilitating prompt communication with visitors or on-site individuals.



Easy & Flexible Setup

The NVR has four non-PoE Ethernet ports for PoE switches or direct camera connections. Cameras can also connect wirelessly to the NVR via Wi-Fi.




Gallery









One App/Client for All Control

Stay connected to your home or business anytime, anywhere.



Privacy in Your Hands

We made it a priority to ensure that your privacy is protected and your data is for you only.





Model	NVS36	
Hardware	Hardware	N5MB01
External Interfaces	Video Out	1 HDMI,1 VGA
	Audio Ports	1 audio-in channel, RCA; 1 audio-out channel, RCA
	USB Ports	Front panel: 1 x USB 2.0; back panel: 1 x USB 2.0, 1x USB 3.0
	Ethernet Ports	$4 \times RJ-45$, $10/100/1000$ Mbps self-adaptive (for IP cameras) $1 \times RJ-45$, $10/100/1000$ Mbps self-adaptive (for LAN/WAN)
		No PoE Port
	Alarm	In: 8 channels; Out: 4 channels
Video	IP Camera Input	Supports up to 36 channels of IPC access; each channel up to 12M input
	Video Output	HDMI: 3840x2160, 1920x1080, 1280x1024, 1280x720, 1024x768 VGA: 1920x1080, 1280x1024, 1280x720, 1024x768
Audio	Two-Way Audio	Built-in audio in & out ports
	Audio In	Via cameras with mic; via built-in 1 channel
	Audio Out	Via built-in 1 channel
Wi-Fi	Video Compression	H.265, H.264
	Live View / Playback Resolution	4608x1728, 4512x2512, 4096x3072, 3840x2160, 2560x1920, 2560x1440, 2048x1536, 2304x1296, 1080p, 720p
		(supports only 1-channel playback if you view it in 8MP or higher resolution.)
	Synchronous Playback	1-4 channels
	Supported Modes	Person/vehicle event recording; motion-triggered recording; 24/7 recording
Storage	Internal HDD	3 SATA ports for 3 HDDs (optional)
	External HDD	No
	Max. Capacity	48TB (Max. 16TB HDD for each SATA)
Network	Network Protocols	HTTP, TCP/IP, UDP, DHCP, P2P, UPNP, RTMP, SMTP, SSL/TLS, DNS, DDNS, NTP
	Browsers Supported	Edge, Firefox, Chrome, Safari
	OS Supported	PC: Windows, Mac OS; smartphone: iOS, Android
	Max. User Access	20 users (1 admin account & 19 user accounts); up to 12
		simultaneous video streams (10 substreams & 2 mainstreams)
General	Power Supply	DC 12V/5.4A
	Power Consumption	<10W (without HDD)
	Working Environment	-10°C ~+45°C (14°F~113°F); 10%~90%
	Dimensions	330 x 48 x 310mm
	Weight	2.26kg (without HDD)
Warranty	Limited Warranty	2-year limited warranty. For support, visit
		https://support.reolink.com/hc/en-us/.






1 USB Port

2 Power LED/HDD LED

3 Control Panel



1 Power Switch

2 Power Input

3 HDMI

4 VGA

5 Audio In

6 Audio Out

7 USB Ports

8 LAN Port

9 Ethernet Port

10 Alarm In/Out



Best Companion







Wireless Mouse

Download Free Reolink App & Client

Learn more: https://reolink.com/software-and-manual/

FC (E & IC Z

Terms and Privacy

Terms and Privacy: Use of the product is subject to your agreement to the Terms of Service and Privacy Policy at reolink.com. Keep out of reach of children.

Limited Warranty

Limited Warranty: This product comes with a 2-year limited warranty. Learn more: https://reolink.com/warranty-and-return/